

Amendments to the Claims

1. (Previously Presented) A method for dynamically providing communication accounts to web servers using a communication account system for immediate download to users, the method comprising:
 - receiving a communication account request message from a web server, wherein the communication account request message includes user information for a user;
 - validating the web server in response to the communication account request message;
 - associating a communication account with the web server in response to the validation by processing the user information to select a type of the communication account for the web server; and
 - transferring a response message to the web server indicating communication account information in response to the association.
2. (Previously Presented) The method of claim 1 further comprising:
 - receiving the communication account request message from the web server in response to a transaction with the web server by the user.
3. (Cancelled).
4. (Previously Presented) The method of claim 2 wherein the user information includes information on the transaction with the web server.
5. (Original) The method of claim 4 wherein the user information includes an identification of the user.
6. (Original) The method of claim 1 wherein validating the web server further comprises:
 - comparing a web server identification to a list of valid web server identifications.
7. (Cancelled).

8. (Previously Presented) The method of claim 1 wherein associating the communication account further comprises:

storing a record associated with the web server.

9. (Previously Presented) The method of claim 1 wherein associating the communication account further comprises:

storing a record associated with the user.

10. (Previously Presented) The method of claim 1 wherein the communication account is a wireline account.

11. (Previously Presented) The method of claim 1 wherein the communication account is a wireless account.

12. (Previously Presented) The method of claim 1 wherein the communication account is an internet account.

13. (Previously Presented) The method of claim 1 further comprising:

determining an amount of prepaid time for the communication account.

14. (Previously Presented) A communication account system for dynamically providing communication accounts to web servers for immediate download to users, the system comprising:

a communication account server configured to validate a web server in response to a communication account request message from the web server, wherein the communication account request message includes user information for a user, associate a communication account with the web server in response to the validation by processing the user information to select a type of the communication account for the web server, and generate a response message indicating communication account information in response to the association; and

a web interface coupled to the communication account server and configured to receive the communication account request message from the web server and transfer the response message to the web server for the communication account system.

15. (Previously Presented) The system of claim 14 wherein the web interface receives the communication account request message from the web server in response to a transaction with the web server by the user.

16. (Cancelled).

17. (Previously Presented) The system of claim 15 wherein the user information includes information on the transaction with the web server.

18. (Original) The system of claim 17 wherein the user information includes an identification of the user.

19. (Original) The system of claim 14 wherein the communication account server is further configured to compare a web server identification to a list of valid web server identifications to validate the web server.

20. (Cancelled).

21. (Previously Presented) The system of claim 14 wherein the communication account server is further configured to store a record associated with the web server.

22. (Previously Presented) The system of claim 14 wherein the communication account server is further configured to store a record associated with the user.

23. (Previously Presented) The system of claim 14 wherein the communication account is a wireline account.

24. (Previously Presented) The system of claim 14 wherein the communication account is a wireless account

25. (Previously Presented) The system of claim 14 wherein the communication account is an internet account.

26. (Previously Presented) The system of claim 14 wherein the communication account server is further configured to determine an amount of prepaid time for the communication account.

27. (Previously Presented) A computer readable medium having computer-readable instructions in a communication account system for performing a method for dynamically providing communication accounts to web servers for immediate download to users, the method comprising:

receiving a communication account request message from a web server, wherein the communication account request message includes user information for a user;

validating the web server in response to the communication account request message;

associating a communication account with the web server in response to the validation by processing the user information to select a type of the communication account for the web server; and

transferring a response message to the web server indicating communication account information in response to the association.

28. (Previously Presented) The computer readable medium of claim 27 wherein the method further comprises:

receiving the communication account request message from the web server in response to a transaction with the web server by the user.

29. (Cancelled).

30. (Previously Presented) The computer readable medium of claim 28 wherein the user information includes information on the transaction with the web server.

31. (Original) The computer readable medium of claim 30 wherein the user information includes an identification of the user.

32. (Original) The computer readable medium of claim 27 wherein validating the web server further comprises:

comparing a web server identification to a list of valid web server identifications.

33. (Cancelled).

34. (Previously Presented) The computer readable medium of claim 27 wherein associating the communication account further comprises:

storing a record associated with the web server.

35. (Previously Presented) The computer readable medium of claim 27 wherein associating the communication account further comprises:

storing a record associated with the user.

36. (Previously Presented) The computer readable medium of claim 27 wherein the communication account is a wireline account.

37. (Previously Presented) The computer readable medium of claim 27 wherein the communication account is a wireless account

38. (Previously Presented) The computer readable medium of claim 27 wherein the communication account is an internet account.

39. (Previously Presented) The computer readable medium of claim 27 wherein associating the communication account further comprises:

determining an amount of prepaid time for the communication account.

40. (Previously Presented) A method for dynamically providing communication accounts to wireless devices using a communication account system for immediate transfer to users, the method comprising:

receiving a communication account request message from a wireless device, wherein the communication account request message includes user information for a user;

validating the wireless device in response to the communication account request message;

associating a communication account with the wireless device in response to the validation by processing the user information to select a type of the communication account for the wireless device; and

transferring a response message to the wireless device indicating communication account information in response to the association.

41. (Cancelled).

42. (Previously Presented) The method of claim 40 wherein validating the wireless device further comprises:

comparing a wireless device identification to a list of valid wireless device identifications to validate the wireless device.

43. (Cancelled).

44. (Previously Presented) The method of claim 40 wherein associating the communication account further comprises:

storing a record associated with the wireless device.

45. (Previously Presented) The method of claim 40 wherein associating the communication account further comprises:

storing a record associated with the user.

46. (Previously Presented) The method of claim 40 wherein the communication account is a wireline account.

47. (Previously Presented) The method of claim 40 wherein the communication account is a wireless account

48. (Previously Presented) The method of claim 40 wherein the communication account is an internet account.

49. (Previously Presented) The method of claim 40 wherein associating the communication account further comprises:

determining an amount of prepaid time for the communication account if the communication account is a pre-paid account.

50. (Previously Presented) A communication account system for dynamically providing communication accounts to wireless devices for immediate transfer to users, the system comprising:

a communication account server configured to validate a wireless device in response to a communication account request message from the wireless device, wherein the communication account request message includes user information for a user, associate a communication account with the wireless device in response to the validation by processing the user information to select a type of the communication account for the wireless device, and generate a response message indicating communication account information in response to the association; and

a wireless interface coupled to the communication account server and configured to receive the communication account request message from the wireless device and transfer the response message to the wireless device for the communication account server.

51. (Cancelled).

52. (Previously Presented) The system of claim 50 wherein the communication account server is further configured to compare a wireless device identification to a list of valid wireless device identifications to validate the wireless device.

53. (Cancelled).

54. (Previously Presented) The system of claim 50 wherein the communication account server is further configured to store a record associated with the wireless device.

55. (Previously Presented) The system of claim 50 wherein the communication account server is further configured to store a record associated with the user.

56. (Previously Presented) The system of claim 50 wherein the communication account is a wireline account.

57. (Previously Presented) The system of claim 50 wherein the communication account is a wireless account

58. (Previously Presented) The system of claim 50 wherein the communication account is an internet account.

59. (Previously Presented) The system of claim 50 wherein the communication account server is further configured to determine an amount of prepaid time for the communication account if the communication account is a pre-paid communication account.

60. (Previously Presented) A computer readable medium having computer-readable instructions in a communication account system for performing a method for dynamically providing communication accounts to wireless devices for immediate transfer to users, the method comprising:

receiving a communication account request message from a wireless device, wherein the communication account request message includes user information for a user;

validating the wireless device in response to the communication account request message;

associating a communication account with the wireless device in response to the validation by processing the user information to select a type of the communication account for the wireless device; and

transferring a response message to the wireless device indicating communication account information in response to the association.

61. (Cancelled).

62. (Original) The computer readable medium of claim 60 wherein validating the wireless device further comprises:

comparing a wireless device identification to a list of valid wireless device identifications to validate the wireless device.

63. (Cancelled).

64. (Previously Presented) The computer readable medium of claim 60 wherein associating the communication account further comprises:

storing a record associated with the wireless device.

65. (Previously Presented) The computer readable medium of claim 60 wherein associating the communication account further comprises:

storing a record associated with the user.

66. (Previously Presented) The computer readable medium of claim 60 wherein the communication account is a wireline account.

67. (Previously Presented) The computer readable medium of claim 60 wherein the communication account is a wireless account

68. (Previously Presented) The computer readable medium of claim 60 wherein the communication account is an internet account.

69. (Previously Presented) The computer readable medium of claim 60 wherein associating the communication account further comprises:

determining an amount of prepaid time for the communication account if the communication account is a pre-paid account.

70-99. (Cancelled).